


**NSCH 1M****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Product image**

Of all the metals used, copper has the best electrical conductivity, which results in the highest short-circuit resistance. This makes the copper busbar the most widely used variant.

**General ordering data**

Version	Accessories, Busbar, Copper
Order No.	<a href="#">0280200000</a>
Type	NSCH 1M
GTIN (EAN)	4008 1900 12953
Qty.	10 m

Creation date May 20, 2022 2:05:48 PM CEST

Catalogue status 06.05.2022 / We reserve the right to make technical changes.

**NSCH 1M****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

Depth	2 mm	Depth (inches)	0.079 inch
Height	15 mm	Height (inches)	0.591 inch
Width	1,000 mm	Width (inches)	39.37 inch
Net weight	23.1 g		

**Material data**

Material	Copper	Surface finish	untreated
Colour	silver		

**Rating data IECEx/ATEX**

Certificate No. (IECEX)	IECEXULD13.0005U	Wire cross section max. (IECEX)	2.5 mm <sup>2</sup>
-------------------------	------------------	---------------------------------	---------------------

**Additional technical data**

Installation advice	Direct mounting
---------------------	-----------------

**Conductors for clamping (rated connection)**

Type of connection	Screw connection
--------------------	------------------

**Dimensions**

TS 35 offset	39 mm
--------------	-------

**General**

Installation advice	Direct mounting	Surface finish	untreated
---------------------	-----------------	----------------	-----------

**Rating data**

Rated current	24 A
---------------	------

**Classifications**

ETIM 6.0	EC002848	ETIM 7.0	EC002848
ETIM 8.0	EC002848	ECLASS 9.0	27-14-11-92
ECLASS 9.1	27-14-11-92	ECLASS 10.0	27-14-11-92
ECLASS 11.0	27-14-11-92	ECLASS 12.0	27-14-11-92

**Approvals**

Approvals



ROHS	Conform
------	---------

**NSCH 1M****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Downloads**

Approval/Certificate/Document of Conformity	<a href="#">Attestation of Conformity</a> <a href="#">UKCA Attestation of conformity</a> <a href="#">ATEX Certificate</a> <a href="#">IECEX Certificate</a> <a href="#">UKCA Certificate</a>
Engineering Data	<a href="#">CAD data – STEP</a>
Engineering Data	<a href="#">EPLAN, WSCAD</a>
User Documentation	<a href="#">Installation Instruction</a> <a href="#">StorageConditionsTerminalBlocks</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>
Brochures	