

**TERMSERIES  
ZQV 1.5N/R6.4/19 GE**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Product image**

TERMSERIES accessories include:

- Spare relay
- Base
- Partition plates
- Cross-connections
- Power-feed modules

**General ordering data**

Type	ZQV 1.5N/R6.4/19 GE
Order No.	<a href="#">1193690000</a>
Version	TERMSERIES, Cross-connector
GTIN (EAN)	4032248976645
Qty.	10 pc(s).

Creation date July 8, 2020 7:54:25 AM CEST

Catalogue status 08.07.2020 / We reserve the right to make technical changes.

## Data sheet

### TERMSERIES ZQV 1.5N/R6.4/19 GE

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Width	119 mm	Width (inches)	4.685 inch
Height	13.1 mm	Height (inches)	0.516 inch
Depth	4.9 mm	Depth (inches)	0.193 inch
Net weight	4.647 g		

### Temperatures

Operating temperature, max.	60 °C	Operating temperature, min.	-40 °C
Storage temperature, max.	85 °C	Storage temperature, min.	-40 °C
Operating temperature	-40 °C...60 °C	Storage temperature	-40 °C...85 °C

### Cross-connection data

Rated voltage	250 V	Rated current	17.5 A
Insulation	Yes	Touch-safe protection	Yes
Colour	yellow	Number of cross-connected terminals	19
Number of poles	19	Pitch in mm (P)	6.4 mm
Type of mounting	Plugged	Version	can be cut to length

### Rated data UL

Rated current (UL)	10 A
--------------------	------

### General data

Version	can be cut to length	Colour	yellow
UL 94 flammability rating	V-0		

### Insulation coordination

Rated voltage	250 V
---------------	-------

### Connection data

Pitch in mm (P)	6.4 mm
-----------------	--------

### Classifications

ETIM 6.0	EC002586	ETIM 7.0	EC002586
eClass 9.1	27-37-16-92	eClass 10.0	27-37-16-92

### Approvals

Approvals



ROHS Conform

**Data sheet****TERMSERIES**  
**ZQV 1.5N/R6.4/19 GE****Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com**Technical data****Downloads**

---

Brochure/Catalogue	<a href="#">CAT 4.2 ELECTR 18/19 EN</a>
Engineering Data	<a href="#">EPLAN, WSCAD</a>
Engineering Data	<a href="#">STEP</a>
User Documentation	<a href="#">Beipackzettel / Package Insert - multilingual</a>

---

**Data sheet**

**TERMSERIES**  
**ZQV 1.5N/R6.4/19 GE**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Dimensional drawing**

