

CLI C 1-3 WS/SW - CD



General ordering data

Version	CableLine, Conductor and cable markers, 2.5 - 5 mm, 3 x 4.2 mm, white
Order No.	1568251049
Type	CLI C 1-3 WS/SW - CD
GTIN (EAN)	4032248441556
Qty.	500 pc(s).

Dimensions and weights

Depth	5 mm
Depth (inches)	0.197 inch
Height	3 mm
Height (inches)	0.118 inch
Width	4.2 mm
Width (inches)	0.165 inch
Net weight	0.08 g

Temperatures

Operating temperature range	-30...80 °C
-----------------------------	-------------

General data

Colour	white
Colour of printing	black
Halogen	Yes
Material	PVC, soft, without Cadmium

Material colour according to resistance code	9
Number of markers per combination	1 Reel = Conductor and cable markers
Operating temperature range	-30...80 °C
Operating temperature range, max.	80 °C
Operating temperature range, min.	-30 °C
Orientation of print	horizontal
Printed characters	Symbols
Printing	-
Printing method	hot-embossing
Recommended industries	Process, Machinery
Type of printing	Standard
UL 94 flammability rating	V-0
Version	CD
Width	4.2 mm

Conductor and cable markers

Conductor O.D.	2.5 - 5 mm
Conductor O.D., max.	5 mm
Conductor O.D., min.	2.5 mm
Conductor cross-section, max.	4 mm ²
Conductor cross-section, min.	1.5 mm ²
Cross-section for connected wire	1.5 - 4 mm ²
Halogen	Yes

Downloads

Engineering Data	<u>EPLAN, WSCAD</u>
Product Change Notification	<u>PCN CableLine_DE</u> <u>PCN CableLine_EN</u>
Catalogues	<u>Catalogues in PDF-format</u>

Classifications

ETIM 6.0	EC001530
ETIM 7.0	EC001530
ETIM 8.0	EC001530
ECLASS 9.0	27-40-04-01
ECLASS 9.1	27-40-04-01
ECLASS 10.0	27-40-04-01
ECLASS 11.0	27-28-11-02
ECLASS 12.0	27-28-11-02

Approvals

ROHS	Conform
------	---------

Related products:



Order No.: 1568251048
Type: CLI C 1-3 WS/SW + CD

Version:
CableLine,
Conductor and
cable markers, 2.5 -
5 mm, 3 x 4.2 mm,
white

[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568251047
Type: CLI C 1-3 WS/SW . CD

Version:
CableLine,
Conductor and
cable markers, 2.5 -
5 mm, 3 x 4.2 mm,
white

[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568251050
Type: CLI C 1-3 WS/SW / CD

Version:
CableLine,
Conductor and
cable markers, 2.5 -
5 mm, 3 x 4.2 mm,
white

[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568251051
Type: CLI C 1-3 WS/SW : CD

Version:
CableLine,
Conductor and
cable markers, 2.5 -
5 mm, 3 x 4.2 mm,
white

[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568251052
Type: CLI C 1-3 WS/SW = CD

Version:
CableLine,
Conductor and
cable markers, 2.5 -
5 mm, 3 x 4.2 mm,
white

[PDF data sheet](#)
[Add to Inquiry List](#)

Order No.: 1568251055

Version:



Type: CLI C 1-3 WS/SW ? CD

CableLine,
Conductor and
cable markers, 2.5 -
5 mm, 3 x 4.2 mm,
white

[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568251053
Type: CLI C 1-3 WS/SW ET CD

Version:
CableLine,
Conductor and
cable markers, 2.5 -
5 mm, 3 x 4.2 mm,
white

[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568251058
Type: CLI C 1-3 WS/SW PET. CD

Version:
CableLine,
Conductor and
cable markers, 2.5 -
5 mm, 3 x 4.2 mm,
white

[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568251057
Type: CLI C 1-3 WS/SW Ö CD

Version:
CableLine,
Conductor and
cable markers, 2.5 -
5 mm, 3 x 4.2 mm,
white

[PDF data sheet](#)
[Add to Inquiry List](#)