

CLI C 2-4 GE/SW = CD



General ordering data

Version	CableLine, Conductor and cable markers, 4 - 10 mm, 4 x 7 mm, yellow
Order No.	1568261751
Type	CLI C 2-4 GE/SW = CD
GTIN (EAN)	4008190991760
Qty.	250 pc(s).

Dimensions and weights

Depth	8 mm
Depth (inches)	0.315 inch
Height	4 mm
Height (inches)	0.157 inch
Width	7 mm
Width (inches)	0.276 inch
Net weight	0.216 g

Temperatures

Operating temperature range	-30...80 °C
-----------------------------	-------------

General data

Colour	yellow
Colour of printing	black
Halogen	Yes
Insulation cross-section, max.	10

Material	PVC, soft, without Cadmium
Material colour according to resistance code	4
Number of markers per combination	1 Reel = Conductor and cable markers
Operating temperature range	-30...80 °C
Operating temperature range, max.	80 °C
Operating temperature range, min.	-30 °C
Orientation of print	horizontal
Printed characters	Symbols
Printing	=
Printing method	hot-embossing
Recommended industries	Process, Machinery
Type of printing	Standard
UL 94 flammability rating	V-0
Version	CD
Width	7 mm

Conductor and cable markers

Conductor O.D.	4 - 10 mm
Conductor O.D., max.	10 mm
Conductor O.D., min.	4 mm
Conductor cross-section, max.	16 mm ²
Conductor cross-section, min.	2.5 mm ²
Cross-section for connected wire	2.5 - 16 mm ²
Halogen	Yes

Downloads

Engineering Data	<u>EPLAN, WSCAD</u>
Product Change Notification	<u>PCN CableLine_DE</u> <u>PCN CableLine_EN</u>
Catalogues	<u>Catalogues in PDF-format</u>

Classifications

ETIM 6.0	EC001530
ETIM 7.0	EC001530
ETIM 8.0	EC001530
ECLASS 9.0	27-40-04-01
ECLASS 9.1	27-40-04-01
ECLASS 10.0	27-40-04-01
ECLASS 11.0	27-28-11-02
ECLASS 12.0	27-28-11-02

Approvals

Related products:



Order No.: 1568261738
Type: CLI C 2-4 GE/SW + CD

Version:
CableLine,
Conductor and
cable markers, 4 -
10 mm, 4 x 7 mm,
yellow
[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568261740
Type: CLI C 2-4 GE/SW - CD

Version:
CableLine,
Conductor and
cable markers, 4 -
10 mm, 4 x 7 mm,
yellow
[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568261748
Type: CLI C 2-4 GE/SW . CD

Version:
CableLine,
Conductor and
cable markers, 4 -
10 mm, 4 x 7 mm,
yellow
[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568261742
Type: CLI C 2-4 GE/SW / CD

Version:
CableLine,
Conductor and
cable markers, 4 -
10 mm, 4 x 7 mm,
yellow
[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568261750
Type: CLI C 2-4 GE/SW : CD

Version:
CableLine,
Conductor and
cable markers, 4 -
10 mm, 4 x 7 mm,
yellow
[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568261752
Type: CLI C 2-4 GE/SW AC CD

Version:
CableLine,
Conductor and
cable markers, 4 -
10 mm, 4 x 7 mm,
yellow
[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568261747
Type: CLI C 2-4 GE/SW PET. CD

Version:
CableLine,
Conductor and
cable markers, 4 -
10 mm, 4 x 7 mm,
yellow
[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568261697
Type: CLI C 2-4 GE/SW Ä CD

Version:
CableLine,
Conductor and
cable markers, 4 -
10 mm, 4 x 7 mm,
yellow
[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568261699
Type: CLI C 2-4 GE/SW Å CD

Version:
CableLine,
Conductor and
cable markers, 4 -
10 mm, 4 x 7 mm,
yellow
[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568261735
Type: CLI C 2-4 GE/SW Æ CD

Version:
CableLine,
Conductor and
cable markers, 4 -
10 mm, 4 x 7 mm,
yellow
[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 1568261695
Type: CLI C 2-4 GE/SW Ö CD

Version:
CableLine,
Conductor and
cable markers, 4 -
10 mm, 4 x 7 mm,
yellow
[PDF data sheet](#)

[Add to Inquiry List](#)



Order No.: 1568261736
Type: CLI C 2-4 GE/SW Ø CD

Version:
CableLine,
Conductor and
cable markers, 4 -
10 mm, 4 x 7 mm,
yellow

[PDF data sheet](#)
[Add to Inquiry List](#)