


Accessories
CBH 27/27 SW

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



Similar to illustration

Cable ties are characterised by maximum tying force and a long life. And steel cable ties can provide a permanent fixing under extreme conditions such as high temperatures or severe chemical effects.

General ordering data

Type	CBH 27/27 SW
Order No.	1697960000
Version	Cable ties, Height x width: 27 x 27 mm, Plastic, 80 N
GTIN (EAN)	4008 190883034
Qty.	100 pc(s).

Creation date July 9, 2020 7:37:18 AM CEST

Catalogue status 09.07.2020 / We reserve the right to make technical changes.

Data sheet

Accessories CBH 27/27 SW

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	27 mm	Width (inches)	1.063 inch
Height	27 mm	Height (inches)	1.063 inch
Depth	2 mm	Depth (inches)	0.079 inch
Net weight	1.6 g		

Installation materials

Material	Plastic	Max. cable tie width	4.8 mm
Operating temperature range, max.	105 °C	Operating temperature range, min.	-40 °C
Tensile strength	80 N	UL 94 flammability rating	V-2
Version	Self-adhesive		

Classifications

ETIM 6.0	EC000449	ETIM 7.0	EC000449
eClass 9.0	23-15-90-07	eClass 9.1	27-40-07-90
eClass 10.0	27-40-07-90	UNSPSC	30-21-18-01

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	EPLAN, WSCAD
------------------	------------------------------

Accessories
CBH 27/27 SW

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings**Dimensional drawing**