

## ET S7-400-GE-A4-1

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)



Similar to illustration

The ET S7 DIN-A4 non-adhesive labels are used to label the S300, S400 and S7 modules from Siemens. Customised laser printing is possible using Weidmüller's M-Print® Pro software.

- Background colours yellow or turquoise with black printing (boxes)
- Labels can be easily separated (not adhesive)

### General ordering data

|            |   |
|------------|---|
| Version    | LaserMark, Device markers, 251 x 11.5 mm, Siemens, yellow |
| Order No.  | <a href="#">1821040000</a>                                |
| Type       | ET S7-400-GE-A4-1   |
| GTIN (EAN) | 4032248319114   |
| Qty.       | 10 pc(s).   |

Creation date June 3, 2022 1:09:38 PM CEST

Catalogue status 20.05.2022 / We reserve the right to make technical changes.

**ET S7-400-GE-A4-1****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

|            |         |                 |            |
|------------|---------|-----------------|------------|
| Depth      | 0.1 mm  | Depth (inches)  | 0.004 inch |
| Height     | 251 mm  | Height (inches) | 9.882 inch |
| Width      | 11.5 mm | Width (inches)  | 0.453 inch |
| Net weight | 33.1 g  |                 |            |

**Temperatures**

|                             |             |
|-----------------------------|-------------|
| Operating temperature range | -40...80 °C |
|-----------------------------|-------------|

**General data**

|                                   |                                   |  |             |
|-----------------------------------|-----------------------------------|--|-------------|
| Application/manufacture           | Siemens                           | Approval acc. to UL 969                      | No          |
| Colour                            | yellow                            | Halogen                                      | Yes         |
| Material                          | Vinyl film                        | Material colour according to resistance code | 4           |
| Number of markers per combination | 1 Label sheet = 14 Device markers | Number per sheet                             | 14          |
| Operating temperature range       | -40...80 °C                       | Operating temperature range, max.            | 80 °C       |
| Operating temperature range, min. | -40 °C                            | Printing method                              | Laser print |
| UL 94 flammability rating         | HB                                | Width  | 11.5 mm     |

**Device markers**

|         |     |
|---------|-----|
| Halogen | Yes |
|---------|-----|

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001288    | ETIM 7.0    | EC001288    |
| ETIM 8.0    | EC001288    | ECLASS 9.0  | 27-40-06-29 |
| ECLASS 9.1  | 27-40-06-29 | ECLASS 10.0 | 27-40-06-29 |
| ECLASS 11.0 | 27-28-11-04 | ECLASS 12.0 | 27-28-11-04 |

**Approvals**

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

**Downloads**

|                  |  |
|------------------|--|
| Engineering Data | <a href="#">EPLAN, WSCAD</a>             |
| Catalogues       | <a href="#">Catalogues in PDF-format</a> |

**Data sheet**

**ET S7-400-GE-A4-1**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

