



# CLI C 1-6 GE/SW 80-99 2-PAG RL

---



---

## General ordering data

Version	CableLine, Conductor and cable markers, 2.5 - 5 mm, 6 x 4.2 mm, yellow
Order No.	1878470080
Type	CLI C 1-6 GE/SW 80-99 2-PAG RL
GTIN (EAN)	4032248470884
Qty.	1,000 pc(s).

## Dimensions and weights

Depth	5 mm
Depth (inches)	0.197 inch
Height	6 mm
Height (inches)	0.236 inch
Width	4.2 mm
Width (inches)	0.165 inch
Net weight	0.12 g

## Temperatures

Operating temperature range	-30...80 °C
-----------------------------	-------------

## General data

Colour	yellow
Colour of printing	black
Halogen	Yes
Insulation cross-section, max.	5

Material	PVC, soft, without Cadmium
Material colour according to resistance code	4
Number of markers per combination	1 Component part = Conductor and cable markers
Operating temperature range	-30...80 °C
Operating temperature range, max.	80 °C
Operating temperature range, min.	-30 °C
Orientation of print	horizontal
Printed characters	Numbers
Printing method	hot-embossing
Recommended industries	Process, Machinery
Type of printing	Standard
UL 94 flammability rating	V-0
Width	4.2 mm

#### Conductor and cable markers

Conductor O.D.	2.5 - 5 mm
Conductor O.D., max.	5 mm
Conductor O.D., min.	2.5 mm
Conductor cross-section, max.	4 mm <sup>2</sup>
Conductor cross-section, min.	1.5 mm <sup>2</sup>
Cross-section for connected wire	1.5 - 4 mm <sup>2</sup>
Halogen	Yes

#### Downloads

Engineering Data	<a href="#"><u>EPLAN, WSCAD</u></a>
Product Change Notification	<a href="#"><u>PCN CableLine_DE</u></a> <a href="#"><u>PCN CableLine_EN</u></a>
Catalogues	<a href="#"><u>Catalogues in PDF-format</u></a>

#### Classifications


ETIM 6.0	EC001530
ETIM 7.0	EC001530
ETIM 8.0	EC001530
ECLASS 9.0	27-40-04-01
ECLASS 9.1	27-40-04-01
ECLASS 10.0	27-40-04-01
ECLASS 11.0	27-28-11-02
ECLASS 12.0	27-28-11-02

#### Approvals

ROHS	Conform
------	---------

## Related products:

---




Order No.: 1878470001  
Type: CLI C 1-6 GE/SW 0-9 2-PAG RL

Version:  
CableLine,  
Conductor and  
cable markers, 2.5 -  
5 mm, 6 x 4.2 mm,  
yellow

[PDF data sheet](#)  
[Add to Inquiry List](#)

---




Order No.: 1878470010  
Type: CLI C 1-6 GE/SW 10-19 2-PAG RL

Version:  
CableLine,  
Conductor and  
cable markers, 2.5 -  
5 mm, 6 x 4.2 mm,  
yellow

[PDF data sheet](#)  
[Add to Inquiry List](#)

---




Order No.: 1878470020  
Type: CLI C 1-6 GE/SW 20-39 2-PAG RL

Version:  
CableLine,  
Conductor and  
cable markers, 2.5 -  
5 mm, 6 x 4.2 mm,  
yellow

[PDF data sheet](#)  
[Add to Inquiry List](#)

---




Order No.: 1878470040  
Type: CLI C 1-6 GE/SW 40-59 2-PAG RL

Version:  
CableLine,  
Conductor and  
cable markers, 2.5 -  
5 mm, 6 x 4.2 mm,  
yellow

[PDF data sheet](#)  
[Add to Inquiry List](#)

---



Order No.: 1878470060  
Type: CLI C 1-6 GE/SW 60-79 2-PAG RL

Version:  
CableLine,  
Conductor and  
cable markers, 2.5 -  
5 mm, 6 x 4.2 mm,  
yellow

[PDF data sheet](#)  
[Add to Inquiry List](#)