## SIEMENS

## Data sheet

## 3RA6822-0AB



Twin extension block Connection main circuit: screw terminal 2 slots for compact load feeders

General technical data					
product brand name		SIRIUS	SIRIUS		
product designation		2-expansion blo	2-expansion block		
protection class IP on the front according to IEC 60529		IP20; IP20 with	IP20; IP20 with box terminal/cover		
touch protection on the front according to IEC 60529		Finger-safe, for	Finger-safe, for vertical contact		
degree of pollution		3	3		
number of slots for compact feeder		2	2		
installation altitude at height above sea level maximum	m	2 000	2 000		
ambient temperature					
<ul> <li>during transport</li> </ul>	°C	-55 +80	-55 +80		
during storage	°C	-55 +80	-55 +80		
during operation	°C	-20 +60	-20 +60		
vibration resistance		f = 4 to 5.8 Hz; cycles	f = 4 to 5.8 Hz; d = 15 mm; f = 5.8 to 500 Hz; a = 2 m / s2 10 cycles		
shock resistance		Semi-sinusoida in all axes	Semi-sinusoidal a = 6 m/s2 at 10 ms; 3 pos. and 3 neg. Shock in all axes		
reference code					
<ul> <li>according to IEC 81346-2</li> </ul>		К	К		
<ul> <li>according to EN 61346-2</li> </ul>		К	К		
Main circuit					
operational current at AC at 400 V rated value	А	63	63		
operating voltage at AC-3 rated value maximum	V	690	690		
Installation/ mounting/ dimensions					
fastening method		screw and snap	screw and snap-on mounting		
width	mm	90	90		
height	mm	197	197		
depth	mm	100	100		
Connections/ Terminals					
type of electrical connection for main current circuit		screw-type tern	screw-type terminals		
design of screw-type connection for main contacts		M3	M3		
stripped length for main contacts	mm	10	10		
tightening torque for main contacts with screw-type terminals	N∙m	2 2.5	2 2.5		
type of connectable conductor cross-sections for AWG cables					
<ul> <li>for main contacts for load-side outgoing feeder</li> </ul>		2 x (16 10), 1 x (16 8)			
Certificates/ approvals					
General Product Approval	E	ис	Declaration of Con- formity	Test Certificates	





## Marine / Shipping other Marine / Shipping other Image: ABS Image: ABS Image: ABS Confirmation Inter information Simple a basided to exit the Buselies mericat (see bare)

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RA6822-0AB

Cax online generator


http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RA6822-0AB


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3RA6822-0AB

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax\_de.aspx?mlfb=3RA6822-0AB&lang=en





last modified:

12/15/2020 🖸