# SIEMENS

### Data sheet

## 3SB2001-6BD06



Indicator light, 16 mm, round, plastic, yellow, with concentric rings

product brand name	SIRIUS
product designation	Indicator lights
design of the product	Single device round
product type designation	3SB2
Enclosure	
number of command points	0
Actuator	
design of the actuating element	indicator light
product extension optional light source	No
color of the actuating element	yellow
material of the actuating element	plastic
shape of the actuating element	Concentric rings
outer diameter of the actuating element	19 mm
type of unlocking device	without
number of switching positions	0
Front ring	
product component front ring	No
Holder	
material of the holder	Plastic
General technical data	
product function	
<ul> <li>EMERGENCY OFF function</li> </ul>	No
EMERGENCY STOP function	No
EMERGENCY STOP function     protection class IP	No IP65
protection class IP	IP65
protection class IP reference code according to IEC 81346-2	IP65 P
protection class IP reference code according to IEC 81346-2 Substance Prohibitance (Date)	IP65 P
protection class IP reference code according to IEC 81346-2 Substance Prohibitance (Date) Connections/ Terminals	IP65 P 07/01/2006
protection class IP reference code according to IEC 81346-2 Substance Prohibitance (Date) Connections/ Terminals tightening torque of the screws in the bracket	IP65 P 07/01/2006
protection class IP reference code according to IEC 81346-2 Substance Prohibitance (Date) Connections/ Terminals tightening torque of the screws in the bracket Ambient conditions	IP65 P 07/01/2006
protection class IP reference code according to IEC 81346-2 Substance Prohibitance (Date) Connections/ Terminals tightening torque of the screws in the bracket Ambient conditions ambient temperature	IP65 P 07/01/2006 0.4 N⋅m
protection class IP         reference code according to IEC 81346-2         Substance Prohibitance (Date)         Connections/ Terminals         tightening torque of the screws in the bracket         Ambient conditions         ambient temperature         • during operation         • during storage         environmental category during operation according to IEC 60721	IP65 P 07/01/2006 0.4 N·m -25 +70 °C
protection class IP         reference code according to IEC 81346-2         Substance Prohibitance (Date)         Connections/ Terminals         tightening torque of the screws in the bracket         Ambient conditions         ambient temperature         • during operation         • during storage         environmental category during operation according to IEC	IP65 P 07/01/2006 0.4 N·m -25 +70 °C -40 +80 °C
protection class IP         reference code according to IEC 81346-2         Substance Prohibitance (Date)         Connections/ Terminals         tightening torque of the screws in the bracket         Ambient conditions         ambient temperature         • during operation         • during storage         environmental category during operation according to IEC 60721	IP65 P 07/01/2006 0.4 N·m -25 +70 °C -40 +80 °C
protection class IP         reference code according to IEC 81346-2         Substance Prohibitance (Date)         Connections/ Terminals         tightening torque of the screws in the bracket         Ambient conditions         ambient temperature         • during operation         • during storage         environmental category during operation according to IEC 60721         Installation/ mounting/ dimensions	IP65 P 07/01/2006 0.4 N·m -25 +70 °C -40 +80 °C 3K6
protection class IP         reference code according to IEC 81346-2         Substance Prohibitance (Date)         Connections/ Terminals         tightening torque of the screws in the bracket         Ambient conditions         ambient temperature         • during operation         • during storage         environmental category during operation according to IEC 60721         Installation/ mounting/ dimensions         fastening method	IP65 P 07/01/2006 0.4 N·m -25 +70 °C -40 +80 °C 3K6 front plate mounting
protection class IP         reference code according to IEC 81346-2         Substance Prohibitance (Date)         Connections/ Terminals         tightening torque of the screws in the bracket         Ambient conditions         ambient temperature         • during operation         • during storage         environmental category during operation according to IEC 60721         Installation/ mounting/ dimensions         fastening method         shape of the installation opening	IP65         P         07/01/2006         0.4 N·m         -25 +70 °C         -40 +80 °C         3K6         front plate mounting         round

installation depth		50 n	50 mm			
Approvals Certificates	evel		Declaration of Confer		Test Certificates	
General Product Approval			Declaration of Conformity		Test Certificates	
	Ē	107	UK	CE	<u>Miscellaneous</u>	
<b>W</b>		כחנ	CA	EG-Konf.		
Test Certificates		other				
Special Test Certific-	Type Test Certific-	Confirmation				
<u>ate</u>	ates/Test Report	Commation				

#### Further information

Siemens has decided to exit the Russian market (see here). https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business Siemens is working on the renewal of the current EAC certificates. Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus). Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875 Information- and Downloadcenter (Catalogs, Brochures,...)

#### https://www.siemens.com/ic10

Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SB2001-6BD06

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SB2001-6BD06

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3SB2001-6BD06

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...) http://www.automation.siemens.com/bilddb/cax\_de.aspx?mlfb=3SB2001-6BD06&lang=en

last modified:

1/26/2022 🖸