SIEMENS

Data sheet

3SU1001-1BA70-0AA0



llluminated mushroom pushbutton, 22 mm, round, plastic, clear, 40 mm, latching, Pull-to-unlatch mechanism

product brand name	SIRIUS ACT		
product designation	Mushroom pushbuttons		
design of the product	Actuating/signaling element		
product type designation	3SU1		
product line	Plastic, black, 22 mm		
Enclosure			
number of command points	1		
Actuator			
design of the actuating element	illuminated		
principle of operation of the actuating element	latching		
product extension optional light source	Yes		
color of the actuating element	clear		
material of the actuating element	plastic		
shape of the actuating element	round		
outer diameter of the actuating element	40 mm		
type of unlocking device	pull-to-unlatch mechanism		
number of switching positions	2		
Front ring			
product component front ring	Yes		
design of the front ring	Standard		
material of the front ring	plastic		
color of the front ring	black		
General technical data			
product function			
 EMERGENCY OFF function 	No		
 EMERGENCY STOP function 	No		
protection class IP	IP66, IP67, IP69(IP69K)		
degree of protection NEMA rating	1, 2, 3, 3R, 4, 4X, 12, 13		
shock resistance			
 according to IEC 60068-2-27 	sinusoidal half-wave 15g / 11 ms		
 for railway applications according to EN 61373 	Category 1, Class B		
operating frequency maximum	1 800 1/h		
mechanical service life (operating cycles) typical	500 000		
reference code according to IEC 81346-2	S		
Substance Prohibitance (Date)	10/01/2014		
Ambient conditions			
ambient temperature			
during operation	-25 +70 °C		
during storage	-40 +80 °C		
environmental category during operation according to IEC	3M6, 3S2, 3B2, 3C3, 3K6 (with relative air humidity of 10 95%)		

60721	
Installation/ mounting/ dimensions	
height	40 mm
width	40 mm
shape of the installation opening	round
mounting diameter	22.3 mm
positive tolerance of installation diameter	0.4 mm
mounting height	27.5 mm
installation width	40 mm
installation depth	24.4 mm
Approvals Certificates	

General Product Approval

Declaration of Conformity

	<u>Confirmation</u>	EHC	CE EG-Konf.	UK CA
Test Certificates	Marine / Shipping			other

Type Test Certificates/Test Report








Confirmation

Environment

Environmental Confirmations

	ens has decided to exit the Russian market (see here). //press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business
Pleas	ens is working on the renewal of the current EAC certificates. e contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to ar elevant market (other than the sanctioned EAEU member states Russia or Belarus).
	nation on the packaging //support.industry.siemens.com/cs/ww/en/view/109813875
	nation- and Downloadcenter (Catalogs, Brochures,…) //www.siemens.com/ic10
	try Mall (Online ordering system) //mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1001-1BA70-0AA0
	nline generator support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1001-1BA70-0AA0
	ce&Support (Manuals, Certificates, Characteristics, FAQs,) //support.industry.siemens.com/cs/ww/en/ps/3SU1001-1BA70-0AA0
	e database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros,) www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1001-1BA70-0AA0⟨=en



last modified:

1/27/2022 🖸