## **SIEMENS**

Data sheet 8WD4400-1AE



Continuous light element, clear, 12-230 V AC/DC, 70 mm diameter, base BA 15d without light element

| product brand name                             | SIRIU   | SIRIUS                   |                           |  |
|--|---------|--------------------------|---------------------------|--|
| product designation                            | Conti   | Continuous light element |                           |  |
| design of the product                          | witho   | without light source     |                           |  |
| General technical data                         |         |                          |                           |  |
| type of voltage of the operating voltage       | AC/D    | AC/DC                    |                           |  |
| operating voltage                              |         |                          |                           |  |
| <ul> <li>at DC rated value</li> </ul>          | 12      | 12 230 V                 |                           |  |
| <ul> <li>at AC at 50 Hz rated value</li> </ul> | 12      | 12 230 V                 |                           |  |
| at AC at 60 Hz rated value                     | 12      | 12 230 V                 |                           |  |
| reference code according to EN 61346-2         | Р       | P                        |                           |  |
| Lamp   |         |                          |                           |  |
| product component light source                 | No      | No                       |                           |  |
| type of light source                           | filame  | filament lamp / LED      |                           |  |
| design of the optical signal                   | contin  | continuous light         |                           |  |
| light intensity                                | 1.31    | 1.31 cd                  |                           |  |
| light intensity                                | 1.01    | 1.01 1.78 cd             |                           |  |
| socket design                                  | BA 1    | BA 15d                   |                           |  |
| Enclosure                                      |         |                          |                           |  |
| height   | 65.5    | 65.5 mm                  |                           |  |
| width  | 70 mm   |                          |                           |  |
| outer diameter of the signal column element    | 70 mm   |                          |                           |  |
| material                                       | PC      |                          |                           |  |
| color  | clear   |                          |                           |  |
| fastening method                               | Bayonet |                          |                           |  |
| protection class IP                            | IP65    |                          |                           |  |
| Ambient conditions                             |         |                          |                           |  |
| ambient temperature during operation           | -20     | -20 +60 °C               |                           |  |
| Certificates/ approvals                        |         |                          |                           |  |
| General Product Approval                       |         | EMC                      | Declaration of Conformity |  |
|  |         |                          |                           |  |

Confirmation



EAC



CE EG-Konf.



other

Confirmation

## Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WD4400-1AE

Cax online generator


 $\underline{\text{http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en\&mlfb=8WD4400-1AE}$ 


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


https://support.industry.siemens.com/cs/ww/en/ps/8WD4400-1AE

 $Image\ database\ (product\ images,\ 2D\ dimension\ drawings,\ 3D\ models,\ device\ circuit\ diagrams,\ EPLAN\ macros,\ ...)$ 

http://www.automation.siemens.com/bilddb/cax\_de.aspx?mlfb=8WD4400-1AE&lang=en







last modified: 2/25/2021 🖸