

Tool accessorie STRIPAX 16

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-2083 www.weidmueller.com



- For flexible and solid conductors with PVC insulation
- · Stripping length adjustable via end stop
- · Automatic opening of clamping jaws after stripping
- · No splicing of single conductors
- · Adjustable for different insulation thicknesses
- Cable with double insulation in two processing steps without special adjustment
- · No play in self-adjusting cutting unit
- Long-lasting
- · Optimised ergonomic design

General ordering data

Order No.	<u>9005610000</u>
Туре	STRIPAX 16
Version	Tool accessorie, Stripping and cutting tool, Flexible and solid conductors with PVC insulation, 16 mm², 25 mm
GTIN (EAN)	4008190183875
Qty.	1 pc(s).



Tool accessorie STRIPAX 16

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-2083 www.weidmueller.com

Technical data

Length	190 mm	Weight	175 g	
Max. cutting performance				
Conductor cross-section (cutting capacity)	6 mm²			
Max. insulation stripping perform	ance			
Cable type	Flexible and solid conductors with PVC insulation	Conductor cross-section, min.	6 mm²	
Conductor cross-section, max.	16 mm²	Stripping length , max.	25 mm	
Classifications				
ETIM 2.0	EC000163	ETIM 3.0	EC000163	
ETIM 4.0	EC000163	UNSPSC	23-17-16-04	
eClass 4.1	21-04-03-01	eClass 5.1	21-04-03-01	
eClass 6.0	21-04-38-90			
Approvals				
Approvals	GOSTT402			
Product information				
Note, technical data	Because of the vast quantity of different insulation materials available, tool results may vary according to the chemical composition, material hardness, temperature or humidity. For this reason, Weidmüller cannot guarantee a trouble-free stripping process in all customer applications. These factors apply in particular to non-harmonized AWG wires. Therefore the customer is responsible for selecting the proper tool and for carrying out performance tests for specific applications. Weidmüller would be happy to provide support and advice to help you with these decisions.			
Description of article	Stripping tool up to 16mm²			
Product description	Stripping: PVC-insulated flexible and solid conductors, from 616 mm² (~AWG 10 6) Cutting: PVC insulated flexible and solid conductors, up to 6 mm² (AWG 10) No damaging of the conductor due to special blade forms			

Datasheet



Tool accessorie STRIPAX 16

SIRIPAX 10

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-2083 www.weidmueller.com

Drawings

