

**LIP 2,5R12 V****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Insulated pin-cable connector made from PVC or PC/PA**

- Conventional designs
- Not soldered
- With conical entry funnel

**General ordering data**

Version	cable lug, terminal end, Insulated cable connector, 1.5 mm <sup>2</sup> - 2.5 mm <sup>2</sup> , blue
Order No.	<a href="#">9200470000</a>
Type	LIP 2,5R12 V
GTIN (EAN)	40322484 10316
Qty.	100 pc(s).

Creation date June 1, 2022 9:32:52 AM CEST

Catalogue status 20.05.2022 / We reserve the right to make technical changes.

## LIP 2,5R12 V

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

Depth	6.2 mm	Depth (inches)	0.244 inch
Width	23.3 mm	Width (inches)	0.917 inch
Net weight	0.61 g		

## Technical data

Description of article	Insulated pin-cable connector 2.5 mm <sup>2</sup> L=12 mm
------------------------	---

## Connectors

Conductor cross-section, max.	2.5 mm <sup>2</sup>	Conductor cross-section, min.	1.5 mm <sup>2</sup>
Dimension	12.0 mm	Dimension (pin length)	12 mm
Identification colour	blue	Insulation	Available
Length 1 (l1)	22 mm	Material/plastic	PVC
Outside diameter of shaft (d3)	4.7 mm	Plastic collar diameter (D)	4.7 mm
Plastic collar length (b)	10 mm		

## Classifications

ETIM 6.0	EC001059	ETIM 7.0	EC001059
ETIM 8.0	EC001059	ECLASS 9.0	27-40-02-92
ECLASS 9.1	27-40-02-12	ECLASS 10.0	27-40-02-92
ECLASS 11.0	27-40-02-92	ECLASS 12.0	27-40-02-92

## Approvals

Approvals



ROHS Conform

## Downloads

Engineering Data	<a href="#">EPLAN</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>
Brochures	

**Data sheet**

**LIP 2,5R12 V**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

