





MPD, Mounting Plate Adjustment Brackets

With these brackets the mounting plate can be adjusted in depth by steps of 25mm in the enclosure frame.

Part No.	Description
MPD02	Mounting plate adjustment brackets

MPA, Mounting Plate Brackets



To fix mounting plates to the furthest position in the rear of the enclosure, including adjustment brackets for depth. adjustment in steps of 25mm. Brackets are needed when an extra mounting plate is required or where the enclosure is ordered without mounting plate.

Part No.	Description
MPA06	Mounting plate brackets
MPA06K	For Multi-K Compact Range

MPF, Filler Plates



Covers the space between pairs of adjacent mounting plates to provide a continuous working surface when two enclosures are mounted together.

Part No.	Description	Height (mm)
MPF1800	Filler plate	1800
MPF2000	Filler plate	2000
MPF2200	Filler plate	2200

MPF

MPP, Partial Height Mounting Plate.



MPP

Mounted directly on the enclosure frame or onto the click in profile(CLPK) Special design of the brackets allows one $man\ mounting.\ Can\ be\ mounted\ in\ any\ height\ or\ depth\ position\ within\ 25mm\ hole\ pattern.\ Appropriate\ size\ can$ also be used on the side of enclosure.

Part No.	Height (mm)	Width (mm)
MPP0404	400	400
MPP0405	400	500
MPP0604	600	400
MPP0605	600	500
MPP0606	600	600
MPP0608	600	800
MPP0610	600	1000
MPP0804	800	400
MPP0805	800	500
MPP0808	800	800
MPP1004	1000	400
MPP1008	1000	800
MPP1204	1200	400
MPP1206	1200	600

All bold items in stock.





CLPF

CLPF Mounting Profile

The CLPF profile system is a 40mm wide and 25mm high profile, which can be mounted in all directions on the enclosure frame. It can also be used in combination with the CLPK and the VB profile. By turning the profile it can be used as a standard CP20/40 profile in combination wit CLM 40/6 sliding nut, to mount installation material which needs adjusting in depth. The profile when mounted onto the enclosure frame are flush with the enclosure profile. Two rows of hole patterns for cage nut fixing and self tapping screws are provided. For 90mm wide profiles can be mounted next to each other.

Part No.	Height	Width
	(mm)	(mm)
CLPF400	400	400
CLPF500	500	500
CLPF600	600	600
CLPF800	800	800
CLPF1000	1000	100
CLPF1200	1200	1200
CLPF1400	1400	1400
CLPF1600	1600	1600
CLPF1800	1800	1800
CLPF2000	2000	2000
CLPF2200	2200	2200



CLPK Click-in Profile

Universal profile for both depth and width fitting on the 25mm DIN hole pattern of the enclosure frame or in combination with the VB profile. The 75 wide profile is equipped with three rows of holes of witch one is turned 90°. This makes it possible to mount the CLPF profile in both directions. The CLPK can be the use of self tapping screws.

Part No.	Width (mm)	Depth (mm)
CLPK400	400	400
CLPK500	500	500
CLPK600	600	600
CLPK800	800	800
CLPK1000	1000	1000
CLPK1200	1200	1200



CB, Carrier Bars

Used for heavy equipment such as transformers fitted in the bottom of the enclosure.

Part No.	Load	Width (mm)	Depth (mm)
CB400	2500N	400	400
CB500	2100N	500	500
CB600	1800N	600	600
CB800	1300N	800	800



LE

LE, lifting eye bolts

M12 thread. Mounts directly to the frame corner pieces of the enclosure. Complies wit DIN 580 lifting requirements 2 pieces.

Part No.	Description
LE9301	Zinc plated
LE9301K	Compact range lifting eye

All bold items in stock.

For more information visit www.eldon.com








LC

LC Lifting Device

For optimal weight distribution when lifting bayed enclosures. Can be used in combination with baying brackets 2 pieces.

Part No.

LC12





Mounted directly onto the enclosure frame. Provided with clamp kit to hold the monitor in position.

Part No.	Width	Depth
	(mm)	(mm)
SHM0606	600	600
SMH0608	600	800




SHC

SHC Ventilated Shelf

Mounted directly to the enclosure frame. The load capacity is 500N.

Part No.	Width	Depth
	(mm)	(mm)
SHC0606	600	600
SHC0608	600	800
SHC0806	800	600
SHC0808	800	800



SHT

SHTH, Telescopic Shelf HD

For easy access to installed equipment. Mounted directly to the enclosure frame with integrated handle. Reversed mounting possible. Maximum load capacity is 1000N.

Part No.	Width (mm)	Depth (mm)
SHTH0606	600	600
SHTH0608	600	800
SHTH0806	800	600
SHTH0808	800	800



CIP

CIP Mounting Profiles 19"

Full height mounting profiles to achieve 482.6 (19") mounting requirements on all sides. Fully adjustable in depth.

Part No.	Height (mm)	U
CIP20	1000	20
CIP22	1100	22
CIP24	1200	24
CIP29	1400	29
CIP33	1600	33
CIP38	1800	38
CIP42	2000	42
CIP47	2200	47

All **bold** items in stock.





СМВ

CMD, Side Mounting Bar

For fixing cables, cable guides, etc, in the depth or the width of an enclosure.

Part No.	W/D
	(mm)
CMB402	400
CMB502	500
CMB602	600
CMB802	800



JD, Depth Buying Kit

For baying enclosures rear to rear.

Part No.	Height (mm)
CJD1600	1600
CJD1800	1800
CJD2000	2000
CJD2200	2200



EFCS, Protective Fan Cover - Stainless Steel

Provides additional protection to the filter fans against the ingress of water in outdoor or wash down environments. Folded and seam welded. (Machining is required)

Part No.	Description	Height (mm)	Width (mm)	Depth (mm)	
EFCS20	To suit fan GHV15	144	134	100	
EFCS25-30	To suit fan GHV25	275	265	100	
EFCS50-60	To suit fan GHV30	353	343	100	

All **bold** items in stock.

EFCS