

MPG

ONE-PIECE CONSOLES IN MILD STEEL



The MPG simple but effective one-piece console is available in five sizes. The top desk panel is held open by a self-engage/self-release mechanical panel stay and combines with the removable rear panel and front door, to ensure convenient access. A range of 19” accessories adds further versatility.

Material: MPG: Body and door: 1.5mm mild steel. Rear panel 1.5mm mild steel. Bottom plates 1.2mm galvanized steel.

Mounting Plate 2.5mm galvanized steel.

Body: Folded and seam welded. Integrated plinth.

Doors and panels: Single folded surface mounted with hinges allowing left and right-hand opening to base door. Angle 12° from horizontal. Concealed hinges on top edge allow 80° opening. Panel held open by self engage/self release mechanical panel stay. Double doors on 1200 and 1600 mm wide base units.

Mounting plate: Standard mounting plate in base unit.

Cable inlet: Bottom opening for cable access. Bottom plate for cable glanding supplied as standard.

Lock: Double-bit 3mm locks for top panel. For base, two double-bit 3mm locks. Other options available. See wall mounting section.

Earthing: M8 threaded studs on body, door, top panel and rear panel.

Finish: RAL 7035 structure powder coating.

Protection: Single door: IP 66/NEMA 4, 12 13
Double doors: IP 55/NEMA 12 and 13.

Delivery: Mounting plate and suitable nuts and washers for earthing. The console is delivered on a wooden pallet.



IP 66/NEMA 4,12,13; IP 55/ NEMA 12, 13

Dimensions

Mild steel

H	W	D	h	w	Usable depth	Part No.
985	600	400	790	499	333	MPG06R5
985	800	400	790	699	333	MPG08R5
985	1000	400	790	899	333	MPG10R5
985	1200	400	790	1099	333	MPG12R5
985	1600	400	790	1499	333	MPG16R5

Note: Only 1200 and 1600

MPGS

ONE-PIECE CONSOLES IN STAINLESS STEEL



The MPGS simple but effective one-piece console is available in five sizes. The top desk panel is held open by a self-engage/self-release mechanical panel stay and combines with the removable rear panel and front door, to ensure convenient access. The MPGS range provides high corrosion resistance and is the ideal solution for harsh environments. A range of 19” accessories adds further versatility.

Material: AISI 304 pre-grained stainless steel / AISI 316L (on request). | Body and door: 2mm. Rear panel 1.5mm . Bottom plates 1.5mm . |Mounting plate: 2.5mm galvanized steel.

Body: Folded and seam welded. Integrated plinth.

Doors and panels: Single folded surface mounted with hinges allowing left and right-hand opening to base door. Angle 12° from horizontal. Concealed hinges on top edge allow 80° opening. Panel held open by self engage/self release mechanical panel stay. Double doors on 1200 wide base units.

Mounting plate: Standard mounting plate in base unit.

Cable inlet: Bottom opening for cable access. Bottom plate for cable glanding supplied as standard.

Lock: Double-bit 3mm locks for top panel. For base, two double-bit 3mm locks. Other options available. See wall mounting section.

Earthing: M8 threaded studs on body, door, top panel and rear panel.

Finish: 240s pre grained (average 0.5 micron), (other grades available upon request).

Protection: Single doors: IP 66/NEMA , 4X, 12
13 Double doors: IP 55/NEMA 12and 13.

Delivery: Mounting plate and suitable nuts and washers for earthing. The console is delivered on a wooden pallet.



IP 66/ NEMA4x, 12 ,13; IP 55/ NEMA 12,13

MPGS

ONE-PIECE CONSOLES IN STAINLESS STEEL

Stainless steel

H	W	D	h	w	Usable depth	Part No.	
985	600	400	400	790	499	357,5	MPGS06
985	600	400	400	790	499	357,5	MPGS06-316
985	800	400	400	790	699	357,5	MPGS08
985	800	400	400	790	699	357,5	MPGS08-316
985	1000	400	400	790	899	357,5	MPGS10
985	1000	400	400	790	899	357,5	MPGS10-316
985	1200	400	400	790	1099	357,5	MPGS12
985	1200	400	400	790	1099	357,5	MPGS12-316

Note: Only 1200 wide consoles have double doors.

- *Delivery times upon request*

MPGS

ONE-PIECE CONSOLES IN STAINLESS STEEL

